

Web Images Videos Maps News Shopping Gmail more ▼

Sign in



device control right management apparatus changing a setting of the control right in accordance with variation of the communication condition and notifying a result of the control right as a notification of success. (0.56 seconds)

Web Results 1 - 50 of about 22,500 for device control right management apparatus changing a setting of the control right in accordance with variation of the communication condition and notifying a result of the control right as a notification of success. (0.56 seconds)

Show options...

1. Apparatus And Method For Remote Wireless Control Of Digital Video ...

7) showing remote control via remote wireless devices, in accordance adequate provision can be made for digital rights management (DRM). The application must allow the user to set and/or change the Start Recording setting to, If they match, a success notification is shown, and her new password is ...
www.faqs.org/patents/app/20090052863 - Cached - Similar

2. Method and apparatus for detecting click fraud - Patent

Detecting click fraud at a user device involves detecting a event targeted to and services providers typically exert substantial control over both the ... of fixed circuits and/or by using digital rights management) that detects by the server 602) communication originating from device 601, or may result ...
www.faqs.org/patents/app/20090106413 - Cached - Similar



Show more results from www.faqs.org

3. Method and apparatus for peripheral device control by clients in ...

Still another object of the invention is to provide improved control of ... to the configuration management section necessary for communications INPUT WORD Status Change Mask INPUT WORD Flags (Wait) RETURN Success, Invalid Logical Socket 2004-2009 PatentStorm LLC. All rights reserved. Forgot password? ...
www.patentstorm.us/patents/5797031/description.html - Similar

4. Open-loop power control enhancement for blind rescue channel ...

The MS will retransmit the message N1m (=9) times in accordance with a retransmission counter ... Power control loops can be used to maintain a desirable frame error rate. 122 and 112 are associated with the scale at the right. Method and apparatus for communication control in a radiotelephone system ...
www.patentstorm.us/patents/7010319/description.html - Similar



Show more results from www.patentstorm.us

5. [PDF] Cyber Security Procurement Language for Control Systems Version 1.8

File Format: PDF/Adobe Acrobat - View as HTML
The outage of a management system will not result in the loss ... Authorization is granting a user, program, or process the right of limited ... some control system communication may warrant encryption, such as those selection of password length, frequency of change, setting of required password complexity, ...
www.msiscac.org/scada/documents/4march08scadaprocedure.pdf - Similar

6. Thermal control within systems having multiple CPU performance ...

This works in accordance with voltage reduction technology that allows a Notifies system thermal management firmware of performance state as a result of an asynchronous event (power source change, thermal condition, dock event, etc.
(i) If the right hand side of the control equation is negative, ...
www.freepatentsonline.com/6442700.html - Similar
by B Cooper - 2002 - Cited by 6 - Related articles - All 2 versions

7. Security management system including feedback and control - Patent ...

A system uses automatic feedback and control to secure a network ... Send method operation 611 notifies the security management agent or security management ... A generic setting change is made via a setting change request on a

communication, quality of service, device, environment, security and diagnostic. ...
www.freepatentsonline.com/7472422.html - Similar
by PM Agbabian - 2008 - Related articles - All 2 versions



Show more results from www.freepatentsonline.com

8. Positive Train Control Systems

While telephone notification may provide for easy communications by the PTC system in accordance subpart I. The PTC onboard apparatus should operate and FRA reserves the right to add more restrictive conditions if necessary to (f) Software management control for certain systems not subject to a ...
cryptome.org/0001/fra072109.htm - Cached - Similar

9. [PDF] Annotated Legal Cases Involving Right-to-Die in the USA

File Format: PDF/Adobe Acrobat
about Brother Fox's medical condition. As a result of diffuse cerebral The right to die is an integral part of our right to control our own By the rhetorical device of replacing a concern for life with quality By setting a particular standard of review in the district court, Section 2 of the ...
www.rbs2.com/rtd.pdf - Similar

10. [PDF] IntellectualProperty Rights

File Format: PDF/Adobe Acrobat - View as HTML
cal change is very rapid, the flexibility of the tional setting, it is not "fair use" to copy for a accordance with patent law and identified. Intellectual *is illustrates the result of inno- vative management of intellectual property rights by the right to control subsequent sales of that ...
www.america.gov/media/pdf/books/iprbook.pdf - Similar

11. [PDF] CREATING EUROPEAN RIGHTS: NATIONAL VALUES AND SUPRANATIONAL ...

File Format: PDF/Adobe Acrobat - View as HTML
citizens, through rights, to engage in such monitoring and control? What explains the radical change in the right of European citizens to know how The Communication on Consultation setting down the the European Community, they must notify the importer of the shortfall and give the importer ...
eprints.law.duke.edu/.../11_Colum_J_Eur_L_draft_4-2005.pdf - Similar
by F Bignami - Cited by 6 - Related articles - All 7 versions

12. Federal Requirements Under the Underground Injection Control (UIC ...

EPA will notify the public of the date, time and location of a public hearing in a Shut-off device: A valve coupled with a control device which closes the valve when capture and transport of CO2; determining property rights (i.e., As a result, today's proposed rule would preclude the injection of ...
www.epa.gov/EPA-WATER/2008/July/Day.../w16626.htm - Cached - Similar

13. Control of Emissions of Air Pollution from 2004 and Later Model ...

As result of this modeling change, our estimates of the contribution of the The NTE control area, emissions requirements, and ambient conditions and test or loan programs or the rights and obligations of recipients thereof; Control and Communications Vehicle Network--Part 81-- Network Management. ...
www.epa.gov/EPA-AIR/2000/October/Day.../a20144.htm - Cached - Similar



Show more results from www.epa.gov

14. [PDF] Agent-Based Control of Distributed Infrastructure Resources

File Format: PDF/Adobe Acrobat - View as HTML
represent that its use would not infringe privately owned rights. necessarily grounds for announcing a change; some variation may be allowed to account for Agents' communication with Matlab must result in them perceiving ... this way, such as setting and then confirming some control on a device. ...
www.prod.sandia.gov/cgi-bin/techlib/access-control.../057937.pdf - Similar

15. [PDF] Radiological Control

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Management should accept **change** that will improve radiological **control** performance. feedback on the radiological **control** goals established in accordance with right to work. If reasonable efforts to implement the special **control** that may result in more severe **conditions**) b. Exit the area c. **Notify** ...
www.hss.doe.gov/NuclearSafety/insf/.../DOE-STD-1098-2008_cn1.pdf - [Similar](#)
by C Notice - 2008 - [Related articles](#) - [All 3 versions](#)

16. [\[PDF\] Radiological Control Manual](#)

File Format: PDF/Adobe Acrobat

eliminated, operating **management** shall **notify** the Head of the RWP's shall be updated if radiological **conditions** change to the extent that A control device that prevents entry to the area when high radiation levels Individual rights and responsibilities as related to implementation of the ...
www-group.slac.stanford.edu/esh/documents/RCM.pdf - [Similar](#)

17. [Engineering - Process Industrial Instruments & Control Handbook](#)

SECTION 7: **CONTROL COMMUNICATIONS** Data Signal Handling in Computerized Systems If the field mounted device is simple apparatus, it need not be certified Rigorous **change management** formalisms will have to be introduced to maintain Single **condition** shown at left, multiple **conditions** at right. 2. ...
www.scribd.com/.../Engineering-Process-Industrial-Instruments-Control-Handbook
- [Cached](#) - [Similar](#)

18. [Data Processing: Database And File Management Or Data Structures ...](#)

09/28/06 - 20060218121 - Method and apparatus for **notifying** a user of new A system with at least one access control device (1) exhibiting an being attached to combination(s) of data processing **condition** setting(s) A file format for a DRM (Digital Rights Management) media content is provided. ...
www.freshpatents.com/x1707001000psbc.php - [Cached](#) - [Similar](#)

19. [Data processing: financial, business practice, management, or cost ...](#)

A **variation** template is created for an end user, which requests and captures A target rights **management** object is transferred from the first device to the transaction **condition** confirmation, transaction settlement and result
20070192250 - Information processing apparatus, control method for the ...
www.freshpatents.com/Data-processing-financial-business-practice-management-or-cost-price-determination-dl200708ntc705.php - [Cached](#) - [Similar](#)

20. [Country Report on Human Rights Practices in Russia](#)

On June 9,2006, the Public Chamber Commission on **Control** over Law Government oversight over human rights **conditions** in the Northern Caucasus remained regional committees for the **management** of state property) for access to the As a result, Russia was ordered to pay the Salvation Army approximately ...
www.state.gov/g/drl/rls/hnrrpt/2006/78835.htm - [Cached](#) - [Similar](#)

21. [\[PDF\] SPIDER CONTROL](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Students should **notify** TLC and their instructors of any special needs. **changing** clothes, or cleaning storage areas. Not only will this spider **management** or **condition** of an agricultural establishment that uses such workers. **control** of vegetation along rights-of-way and in other non-crop areas, ...
www.abctlc.com/courses/SpiderControl.pdf - [Similar](#)

22. [Illicit Drugs: Use and Control](#)

All rights reserved. No part of this book may be reprinted or reproduced or utilised in 1800 to 1850: the era of laissez-faire in substance **control** to disappear as a combination of **changing** culture, expansion of travel and **communication** and a requirement to **notify** the Home Office of new addicts. ...
www.questia.com/PM.qst?a=o&se=gglsc&d=106424856 - [Similar](#)
by I Drugs - [Related articles](#)

23. [Taming the System: The Control of Discretion in Criminal Justice ...](#)

A Police Foundation survey found great **variations** among police de partments as

The main impact of this change with respect to bail setting is that it Some have argued that the formal bureaucratic apparatus of control is as Improvements in prison conditions as a result of the prisoners' rights ...

www.questia.com/PM.qst?a=o&se=gglsc&d=97471694 - [Similar](#)

by S Walker - 1993 - [Cited by 89](#) - [Related articles](#)



[Show more results from www.questia.com](#)

24. [\[PDF\] Fields of Intellectual Property Protection Patents Copyright and ...](#)

File Format: PDF/Adobe Acrobat

in form will not avoid infringement if there is no change in the result produced. only as an exclusive right to prevent others from doing so or to control works, and exercises those rights in accordance with the public interest. shall notify the Director General [of WIPO] by means of a written ...

www.wipo.org/about-ip/en/iprm/pdf/ch2.pdf - [Similar](#)

25. [Internet Packet Sniffing and Its Impact on the Network Neutrality ...](#)

Deep Packet Inspection and Digital Rights Management If a particular communication link is busy, the packet will be routed service provider has the right and ability to control such activity. only effect is to limit the capacity of receiver apparatus [located on consumers' premises] to ...

works.bepress.com/cgi/viewcontent.cgi?article=1001&context... - [Similar](#)

by R Frieden - [All 5 versions](#)

26. [\[PDF\] ComTouch: A Vibrotactile Mobile Communication Device](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The apparatus used for this study was the ComTouch device ... Participants put their right hand on the device to use the vibrotactile channel "The problems of control engineering and of communication engineering were due to too much noise, the experimenter will notify you by presenting a card that says ...

tmg-orchard.media.mit.edu:8020/...%20A%20Vibrotactile%20Communication/.../PDF - [Similar](#)

27. [TITLES TO 2700 SOFTWARE PATENTS ISSUED IN 1992 and 1993 Greg ...](#)

... counters Communication control system and communication control apparatus Dynamic execution method Numerical control method Setting analysis condition for address-input function Text (word processor) having right end justified device for a picture signal Calculation of a decision result for a ...

www.ibiblio.org/patents/txt/sofpat.txt - [Similar](#)

28. [\[PDF\] National Insecurity and Human Rights](#)

File Format: PDF/Adobe Acrobat

Under conditions of national insecurity, security elites often invoke control. The state's right to rule and broad basis of participation are the pro- against scrutiny for its accordance with Basic Law: Human Dignity and Cairo on June 20, 2005, but it did not result in any visible change in policy ...

repositories.cdlib.org/cgi/viewcontent.cgi?article=1009...gaial/... - [Similar](#)

by A Brysk - [All 4 versions](#)

29. [\[PDF\] GUIDE TO MANAGING AN EMERGENCY SERVICE INFECTION CONTROL PROGRAM](#)

File Format: PDF/Adobe Acrobat

notifying prospective patients of the health-care worker's need to have an infection control program and a risk management plan. Each member of the fire department has the right to be protected by an effective response procedures, and repair of apparatus. In terms of member safety, a fully enclosed ...

www.usfa.dhs.gov/downloads/pdf/publications/fa-112.pdf - [Similar](#)

30. [215 CLINICAL MEASUREMENT OF LONG TERM GLYCEMIC CONTROL IN DIABETIC ...](#)

termediate and long term diabetic control. Clarification of the relative roles of point of care testing versus in-labo- the result of a parallel measurement with the glucose sen- movement of the device from the clinical setting into the show that personalization is the right way to get a reliable ...

www.liebertonline.com/doi/pdf/10.1089/152091503321827894 - [Similar](#)

by GE Austin - [Related articles](#) - [All 2 versions](#)

31. [\[PDF\] QUANTIFICATION OF THE BUSINESS BENEFITS OF POSITIVE TRAIN CONTROL](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

PTC systems are comprised of digital data link communications networks, continuous functions, given the right software and access to railroad databases. o on-board energy management (optimization of train velocity profiles, subject to shipper can occur as a result of Positive Train Control (PTC) ... www.tsd.org/.../FRA%20PTC%20final%20report%2003-16-04.pdf - [Similar](#)
by ZT ASSOCIATES - [Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

32. [\[PDF\] MEDICAL DEVICE REGULATIONS](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Pre-market control is performed on the device to ensure that the product to be placed on- communications. Quality systems and other management standards can provide common marketing rights to that device remains a local government ... permitted to sell medical devices provided that they notify the ... www.who.int/medical_devices/publications/en/MD_Regulations.pdf - [Similar](#)

33. [\[DOC\] RISK MANAGEMENT GUIDE - Jobs](#)

File Format: Microsoft Word - [View as HTML](#)

The phrase "or the risk thereof" includes any process variation for which a recurrence would ... By definition, a medical device is an instrument, apparatus, implement, machine, contrivance, ... Notify the Risk Management Department immediately. A patient has the right to exercise "control over his own body. ... hr.healthcare.ucla.edu/download/Risk%20Management%20Guide.doc - [Similar](#)

34. [\[PDF\] All emergency response operations work under a defined command and ...](#)

File Format: PDF/Adobe Acrobat

communications with veterinarians during emergency response efforts management plan. Veterinarians should be included on state and local emergency the right conditions exist. Effects from even a small portable device lost animal notices and notify local law enforcement, animal care and control ... www.avma.org/disaster/emerg_prep_resp_guide.pdf - [Similar](#)
by EF Sheets - [Related articles](#) - [All 3 versions](#)

35. [\[PDF\] Final abstract number: 64.001 Session: Infection Control and ...](#)

File Format: PDF/Adobe Acrobat

Methods: Infection control team was convened, and an educational lecture and the enterococcus infection should be considered in the management of every patient with relevant prescribing habits would result in a change in bacterial extensors of forearms and elbows, dorsal aspect of right foot and ... ww2.isid.org/Downloads/13th_ICID_AbsPostersSunday.pdf - [Similar](#)

36. [MedSun: Newsletter #23, April 2008](#)

Apr 1, 2008 ... Epidural Conduction Device Fractures and Complications of They also notify the FDA who oversees the manufacturer's actions to ... Results of the survey sent to infection control specialists in Prevent life-threatening communication breakdowns Breath sounds were absent on the right. ... www.accessdata.fda.gov/scripts/cdrh/.../newsletter.cfm?news... - [Cached](#) - [Similar](#)

37. [\[PDF\] Media Power & Information Control: A Study of Police Organizations ...](#)

File Format: PDF/Adobe Acrobat

communication and control the flow of information. In the pre-literate, oral societies and flame their behaviors in accordance with the demands of the media, for access to constitutional right to a b e press allows the media to serve that choose to notify media instead of law enforcement ... www.ncjrs.gov/pdffiles1/nij/grants/197060.pdf - [Similar](#)

38. [\[PDF\] Infection Control Guidelines uploaded on 14 May 2004](#)

File Format: PDF/Adobe Acrobat

A Infection Control in the Health Care Setting: Guidelines for the Prevention of associated risks is the key to successful infection control management. This communication and protection of patients' rights; and reprocessed and quarantined in accordance with the guidelines in Tables 31.4 ... www.health.gov.au/internet/main/publishing.nsf/Content/.../icg.pdf - [Similar](#)

39. [Kelly Miller's History of the World War for Human Rights / Miller ...](#)

A wireless apparatus, for transmitting information to the shore station, States army did not await an actual call to arms to notify a physician that the The change, however, was rather the result of new conditions than the Just to give the King of Prussia a little more control, he has the right ...
infomotions.com/etexts/gutenberg/dirs/1/9/1/7/19179/19179.htm - [Similar](#)

40. [\[PDF\] IntellectualProperty Rights](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
property, many variations and special kinds of protection are possible. tional setting, it is not "fair use" to copy for a Affairs, Office of International Communications is illustrates the result of inno- vative management of intellectual the right to control subsequent sales of that ...
library2.parliament.go.th/ebook/content-eb/iprbook.pdf - [Similar](#)

41. [Chemical Facility Security News: August 2008](#)

The entire county emergency services apparatus, including volunteer that what they are doing (or want to do) is in accordance with the applicable law. ... I was right, it is a take off on C3I. It stands for Command, Control, In all cases that response is some variation of 'notify your supervisor or ...
chemical-facility-security-news.blogspot.com/2008_08_01_archive.html
- [Cached](#) - [Similar](#)

42. [\[PDF\] Research on legislation in data privacy, security and the ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Privacy is the right of individuals to control or influence what information related to them was a direct result of the Inland Revenue notifying the Information rights. The Communication outlined four key conditions to be observed: Europe's Convention, any modification, variation, partial change, ...
www.itu.int/ITU-D/cyb/publications/2006/research-legislation.pdf - [Similar](#)

43. [Air Force FY08.B STTR Solicitation Topics](#)

The Air Force cannot be responsible for notifying companies that change The Air Force also reserves the right to change any administrative KEYWORDS: electro-magnetic spectrum control, situational awareness, battle management, and range of operability with variation in flight and engine conditions. ...
www.acq.osd.mil/osbp/sbir/solicitations/sttr08B/af08B.htm - [Cached](#) - [Similar](#)

44. [\[PDF\] GENERAL SPECIFICATION AIR-CONDITIONING, REFRIGERATION, VENTILATION ...](#)

File Format: PDF/Adobe Acrobat
The Architect has the right to stop any work in which apparatus conveyed by this General Specification and the Contract, but also ... in accordance with the General Conditions of the Contracts and Special. Conditions of Contracts. control device and terminate on terminals of controlled device. ...
www.archsd.gov.hk/english/publications/publication_pdf/vol-1.pdf - [Similar](#)

45. [FM34-60 COUNTERINTELLIGENCE - Appendix A COUNTER-HUMAN ...](#)

The CI agent administers the advisement of rights, in accordance with DA They may also have automatic volume control and can be turned on or off In order to identify agents of the enemy intelligence or infrastructure apparatus, These informants will be provided with the means to notify a nearby ...
fas.org/irp/doddir/army/fm34-60/fm34-60a.htm - [Cached](#) - [Similar](#)

46. [\[DOC\] J](#)

File Format: Microsoft Word - [View as HTML](#)
Change Control – The introduction of changes in the Network OSS, Agency to notify the contractor and formally document dissatisfaction with the Emergency Release Notification. • Community Right-to-Know Reporting Requirements Frame Relay Assembler/Disassembler (FRAD) - A communications access device ...
https://releasedprices.networkx.gov/files/?file=Network%20Glossary... - [Similar](#)

47. [\[DOC\] Microsoft Word - fy08 10-31.doc](#)

File Format: Microsoft Word - [View as HTML](#)

NIST has the unilateral right to select SBIR research topics and Control can be exercised through common ownership, common management, All Offerors must notify Ricardo Cordero at 301-975-3976 or ricardo.cordero@nist.gov. The result should enable one device for multiple applications (e.g., ... tsapps.nist.gov/TS_SBIR/FY09%20SBIR%20Solicitation.doc - Similar

48. [\[PDF\] Water Operations Safety Manual](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Any communication device is only useful if it is operable. Each craft, Captained or ... extreme-wilderness conditions. Ratings change with river water levels. You may have no control over the timing and your idea of "soon" may be This is a release of liability and waiver of certain legal rights ...
[www.losscontrol.com/epic/.../WaterOperationsSafetyManualrevise.pdf](#) - Similar

49. [Full text of "Music licensing practices of performing rights ...](#)


These arm's length negotiations result in fees, terms and conditions which are They are maintaining their right to control, if they want to, When there was a recent change in top ASCAP management, several months ago, BMI atafUvtvel tha right to notify LICENSEE In writing by certified mail of ...
[www.archive.org/stream/.../musiclicensingpr00unit_djvu.txt](#) - Similar


50. [\[PDF\] PART 970 — DOE MANAGEMENT AND OPERATING CONTRACTS Sec. Subpart ...](#)

File Format: PDF/Adobe Acrobat
Patent rights clause provisions for management and operating contractors. (iv) Failure to notify DOE upon discovery of events or conditions where notification is required budgeting, authorization, execution, and change control. (l) Communications. The Contractor shall direct any notification, ...
[management.energy.gov/DEAR970.pdf](#) - Similar

51. [Book results for device control right management apparatus changing a setting of the control right in accordance with variation of the communication condition and notifying a result of the control right as a notification of success](#)

[National Insecurity and Human Rights ...](#) - by Alison Brysk, Gershon Shafrir - 256 pages
[Taming the System: The Control of Discretion ...](#) - by Samuel Walker - 206 pages



device control right management apparatus changing a setting of the control  Search

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)